SUBJECT AND AUTHOR INDEXES

Volume 14, June 1980—March 1981

Preface

Primary headings in the subject index include pesticide compounds, media in which pesticide residues are monitored, and major concepts related to the monitoring of pesticides in the environment. Pesticide compounds are listed by common names; trade names are used for those which have no common names.

Secondary headings cross-reference the primary headings. For a paper which discusses five or more organochlorines or organophosphates the compounds are grouped by class under media and concept headings but each compound appears individually under the primary headings for pesticide compounds.

In the author index all information on a paper appears in the senior author's citations: associate authors, title of the paper, and volume, issue, and pages where the article was published. Names of associate authors are cross-referenced as minor headings, but the reader is referred to the senior author's entry for the paper's complete citation.

SUBJECT INDEX

A

Acephate
- Degradation
  - 14(1):3–6
- Food
  - 14(1):3–6

Alachlor
- Water
  - 14(2):70–73

Aldrin
- Factors Influencing Residues
  - 14(2):64–69
  - 14(4):136–206
- Humans
  - 14(1):1–2
  - 14(2):64–69
- Soil
  - 14(1):23–25
- Water
  - 14(2):70–73
- Wildlife
  - 14(4):136–206

Alkanes
- Factors Influencing Residues
  - 14(1):11–22
- Wildlife
  - 14(1):11–22

Aroclors (see also PCBs)
- Crops
  - 14(1):26–30
- Factors Influencing Residues
  - 14(1):11–22
  - 14(1):26–30
  - 14(2):35–46
  - 14(2):53–57
  - 14(4):136–206
- Soil
  - 14(1):26–30
- Wildlife
  - 14(1):7–10
  - 14(1):11–22
  - 14(1):26–30
  - 14(2):35–46
  - 14(2):53–57
  - 14(3):108–111
  - 14(4):136–206

Arsenic
- Factors Influencing Residues
  - 14(2):53–57
  - 14(2):58–63
- Wildlife
  - 14(2):53–57
  - 14(2):58–63

Atrazine
- Water
  - 14(2):70–73

B

BHC/Lindane
- Factors Influencing Residues
  - 14(4):136–206
- Humans
  - 14(1):1–2
- Water
  - 14(2):70–73
- Wildlife
  - 14(4):136–206

C

Cadmium
- Factors Influencing Residues
  - 14(2):58–63
- Wildlife
  - 14(2):58–63

Chlordane
- Factors Influencing Residues
  - 14(2):35–46
  - 14(2):47–52
  - 14(2):53–57
  - 14(2):58–63
  - 14(3):90–94
  - 14(3):102–107
  - 14(4):115–118
  - 14(4):125–135
  - 14(4):136–206
- Soil
  - 14(1):23–25
- Water
  - 14(2):47–52
- Wildlife
  - 14(1):7–10
  - 14(2):35–46
  - 14(2):47–52
  - 14(2):53–57
  - 14(2):58–63
  - 14(3):90–94
  - 14(3):102–107
  - 14(4):115–118
  - 14(4):125–135
  - 14(4):136–206

Chromium
- Factors Influencing Residues
  - 14(2):53–57
- Wildlife
  - 14(2):53–57

Copper

Factors Influencing Residues
14(2):53–57
Wildlife
14(2):53–57

Crops

Vegetables
PCBs
14(1):26–30

D

2,4-D

Water
14(2):70–73

DDE

Factors Influencing Residues
14(1):7–10
14(1):11–22
14(2):35–46
14(2):47–52
14(2):53–57
14(2):58–63
14(3):77–85
14(3):86–89
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206
Humans
14(1):1–2
Soil
14(1):23–25
14(3):77–85
Water
14(2):47–52
14(2):70–73
Wildlife
14(1):7–10
14(1):11–22
14(2):35–46
14(2):47–52
14(2):53–57
14(2):58–63
14(3):86–89
14(3):90–94
14(3):102–107
14(3):108–111
14(4):115–118
14(4):125–135
14(4):136–206

DDT

Factors Influencing Residues
14(2):35–46
14(2):47–52
14(2):53–57
14(2):58–63
14(3):77–85
14(3):86–89
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206
Humans
14(1):1–2
Soil
14(1):23–25
14(3):77–85
Water
14(2):47–52
14(2):70–73
Wildlife
14(1):7–10
14(2):35–46
14(2):47–52
14(2):53–57
14(2):58–63
14(3):86–89
14(3):90–94
14(3):102–107
14(3):108–111
14(4):115–118
14(4):125–135
14(4):136–206

Degradation

Acephate
14(1):3–6
Methamidophos
14(1):3–6

Diazinon

Soil
14(1):23–25

Dieldrin

Factors Influencing Residues
14(2):35–46
14(2):53–57
14(2):58–63
14(2):64–69
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206
Humans
14(2):64–69
Soil
14(1):23–25
Water
14(2):70–73
Wildlife
14(1):7–10
14(2):35–46
14(2):53–57
14(2):58–63
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206

E

Endrin

Factors Influencing Residues
14(2):35–46
14(2):47–52
14(2):53–57
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206
Soil
14(1):23–25
Water
14(2):47–52
14(2):70–73
Wildlife
14(1):7–10
14(2):35–46
14(2):47–52
14(2):53–57
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206

EPTC

Water
14(2):70–73

F

Factors Influencing Residues

Age
DDE
14(3):86–89
DDT
14(3):86–89
mercury
14(3):95–101
organochlorines
14(4):125–135
PCBs
14(4):125–135
TDE
14(3):86–89

Environmental, Geographical, and Locational
alkanes
14(1):11–22
arsenic
14(2):53–57
14(2):58–63
cadmium
14(2):58–63
chromium
14(2):53–57
copper
14(2):53–57
DDE
14(1):11–22
14(3):77–85
14(3):86–89
DDT
14(3):77–85
14(3):86–89
Kepone
14(4):119–124
Lead
14(2):58–63
mercury
14(2):53–57
14(2):58–63
14(3):95–101
organochlorines
14(2):35–46
14(2):47–52
14(2):53–57
14(2):58–63
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206
PCBs
14(1):11–22
14(2):35–46
14(2):53–57
14(2):58–63
14(3):77–85
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206
selenium
14(2):58–63
TDE
14(3):77–85
14(3):86–89
vanadium
14(2):58–63
Land Use
PCBs
14(1):26–30
Seasonal and Temporal
aldrin
14(2):64–69
arsenic
14(2):53–57
chromium
14(2):53–57
copper
14(2):53–57
DDE
14(3):86–89
DDT
14(3):86–89

dieldrin
14(2):64–69
Kepone
14(4):119–124
mercury
14(2):53–57
14(3):95–101
organochlorines
14(2):53–57
14(3):90–94
14(4):136–206
PCBs
14(2):53–57
14(3):90–94
14(4):136–206
TDE
14(3):86–89
Sex
DDE
14(3):86–89
DDT
14(3):86–89
TDE
14(3):86–89
Size
alkanes
14(1):11–22
DDE
14(1):11–22
PCBs
14(1):11–22
Species
arsenic
14(2):58–63
cadmium
14(2):58–63
DDE
14(1):7–10
lead
14(2):58–63
mercury
14(2):58–63
14(3):95–101
organochlorines
14(2):47–52
14(2):58–63
14(3):90–94
14(3):102–107
14(4):136–206
PCBs
14(2):58–63
14(3):90–94
14(3):102–107
14(4):136–206
selenium
14(2):58–63
vanadium
14(2):58–63
Trophic Level
organochlorines
14(3):102–107
PCBs
14(3):102–107

Food

Fruits
acephate
14(1):3–6
methamidophos
14(1):3–6

H

HCB

Factors Influencing Residues
14(2):35–46
14(2):53–57
14(3):90–94
14(4):115–118
14(4):125–135
14(4):136–206
Humans
14(1):1–2
Wildlife
14(1):7–10
14(2):35–46
14(2):53–57
14(3):90–94
14(4):115–118
14(4):125–135
14(4):136–206

Heptachlor

Factors Influencing Residues
14(2):58–63
14(3):102–107
14(4):136–206
Humans
14(1):1–2
Water
14(2):70–73
Wildlife
14(2):58–63
14(3):102–107
14(4):136–206

Heptachlor Epoxide

Factors Influencing Residues
14(2):35–46
14(2):53–57
14(2):58–63
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206
Water
14(2):70–73
Wildlife
14(1):7–10
14(2):35–46
14(2):53–57
14(2):58–63
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206

Hexachlorobenzene, see HCB

Humans

Milk
aldrin
14(2):64–69
dieldrin
14(2):64–69
organochlorines
14(1):1–2
Tissues
aldrin
14(2):64–69
dieldrin
14(2):64–69

K

Kepone

Factors Influencing Residues
14(4):119–124
Sediment
14(4):119–124
Water
14(4):119–124

L

Lead

Factors Influencing Residues
14(2):58–63
Wildlife
14(2):58–63

Lindane, see BHC/Lindane

M

Mercury

Factors Influencing Residues
14(2):53–57
14(2):58–63
14(3):95–101
Wildlife
14(2):53–57
14(2):58–63
14(3):95–101

Methamidophos

Degradation
14(1):3–6
Food
14(1):3–6

Methoxychlor

Water
14(2):70–73

Methyl Parathion

Factors Influencing Residues
14(2):47–52
Water
14(2):47–52

Mirex

Factors Influencing Residues
14(2):35–46
14(2):53–57
14(2):58–63
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
Wildlife
14(1):7–10
14(2):35–46
14(2):53–57
14(2):58–63
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135

N

Nonachlor

Factors Influencing Residues
14(2):35–46
14(2):53–57
14(2):58–63
14(3):90–94
14(4):115–118
14(4):125–135
Wildlife
14(1):7–10
14(2):35–46
14(2):53–57
14(2):58–63
14(3):90–94
14(4):115–118
14(4):125–135

O

Oxychlordane

Factors Influencing Residues
14(2):35–46
14(2):53–57
14(2):58–63
14(3):90–94
14(4):115–118
14(4):125–135
Wildlife
14(1):7–10

14(2):35–46
14(2):53–57
14(2):58–63
14(3):90–94
14(4):115–118
14(4):125–135

P

Parathion
Soil
14(1):23–25

PCBs
Crops
14(1):26–30
Factors Influencing Residues
14(1):11–22
14(1):26–30
14(2):35–46
14(2):53–57
14(2):58–63
14(3):77–85
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206
Soil
14(1):23–25
14(1):26–30
14(3):77–85
Wildlife
14(1):7–10
14(1):11–22
14(1):26–30
14(2):35–46
14(2):53–57
14(2):58–63
14(3):90–94
14(3):102–107
14(3):108–111
14(4):115–118
14(4):125–135
14(4):136–206

Pentachlorobenzene
Humans
14(1):1–2

Propanil
Soil
14(1):23–25

S

Sediment
Estuarine
Kepone
14(4):119–124

Selenium
Factors Influencing Residues
14(2):58–63
Wildlife
14(2):58–63

Silvex
Water
14(2):70–73

Simazine
Water
14(2):70–73

Soil
Croplands
diazinon
14(1):23–25
organochlorines
14(1):23–25
parathion
14(1):23–25
PCBs
14(1):23–25
14(2):26–30
trifluralin
14(1):23–25
Forests
DDE
14(3):77–85
DDT
14(3):77–85
PCBs
14(3):77–85
TDE
14(3):77–85

T

TCAB
Soil
14(1):23–25

TDE
Factors Influencing Residues
14(2):35–46
14(2):47–52
14(2):53–57
14(3):77–85
14(3):86–89
14(3):90–94
14(3):102–107
14(4):115–118
14(4):125–135
14(4):136–206
Humans
14(1):1–2
Soil
14(1):23–25
14(3):77–85
Water
14(2):47–52
Wildlife
14(1):7–10
14(2):35–46
14(2):47–52
14(2):53–57
14(3):86–89
14(3):90–94
14(3):102–107
14(3):108–111
14(4):115–118
14(4):125–135
14(4):136–206

Toxaphene
Factors Influencing Residues
14(2):35–46
14(2):47–52
14(2):53–57
14(2):58–63
14(3):90–94
14(4):125–135
14(4):136–206
Soil
14(1):23–25
Water
14(2):47–52
Wildlife
14(1):7–10
14(2):35–46
14(2):47–52
14(2):53–57
14(2):58–63
14(3):90–94
14(4):125–135
14(4):136–206

Trifluralin
Soil
14(1):23–25

V

Vanadium
Factors Influencing Residues
14(2):58–63
Wildlife
14(2):58–63

W

Water
Estuarine
Kepone
14(4):119–124
Ground
atrazine
14(2):70–73
EPTC
14(2):70–73
organochlorines
14(2):70–73
simazine
14(2):70–73
Streams
organochlorines
14(2):47–52

Wildlife
Birds
arsenic
14(2):53–57
14(2):58–63
cadmium
14(2):58–63
chromium
14(2):53–57
copper
14(2):53–57
DDE
14(1):7–10
14(3):86–89
14(3):108–111
DDT
14(3):86–89
14(3):108–111
lead
14(2):58–63
mercury
14(2):53–57
14(2):58–63
14(3):95–101
organochlorines
14(2):53–57
14(2):58–63
14(3):90–94
14(4):115–118
14(4):125–135
PCBs
14(2):53–57
14(2):58–63
14(3):90–94
14(3):108–111
14(4):115–118
14(4):125–135
selenium
14(2):58–63
TDE
14(3):86–89
14(3):108–111
vanadium
14(2):58–63
Fish
alkanes
14(1):11–22
DDE
14(1):11–22
organochlorines
14(3):102–107
14(4):136–206
PCBs
14(1):11–22
14(3):102–107
14(4):136–206

Invertebrates
PCBs
14(1):26–30
Mammals
organochlorines
14(2):35–46
PCBs
14(1):26–30
14(2):35–46
Mollusks
organochlorines
14(2):47–52
Reptiles
organochlorines
14(1):7–10
PCBs
14(1):7–10

AUTHOR INDEX

A

Ackerman, Laura B. Overview of human exposure to dieldrin residues in the environment and current trends of residue levels in tissue. 14(2):64–69

B

Bogan, Michael D., see Fitzpatrick, George E.
Brownell, Robert L., Jr., see O'Shea, Thomas J.
Bush, Brian, see Pastel, Michael

C

Carey, Ann E., Yang, Henry S. C., Wiersma, G. Bruce, Tai, Han, Maxey, Robert A., and Dupuy, Aubrey E., Jr. Residual concentrations of propanil, TCAB, and other pesticides in rice-growing soils in the United States, 1972. 14(1):23–25
Carroll, John H., see Hunter, Richard G.
Clark, Donald R., Jr., see O'Shea, Thomas J.
Clark, Donald R., Jr., and Krynitsky, Alexander J. Organochlorine residues in eggs of loggerhead and green sea turtles nesting at Merritt Island, Florida—July and August 1976. 14(1):7–10
Cromartie, Eugene, see Fleming, W. James; Klaas, Erwin E.

D

Derksen, A. J., see Driver, E. A.
Dohman, Barbara A., see Greichus, Yvonne A.
Driver, E. A., and Derksen, A. J. Mercury levels in waterfowl from Manitoba, Canada, 1971–72. 14(3):95–101
Dupuy, Aubrey E., Jr., see Carey, Ann E.

F

Fitzpatrick, George E., and Bogan, Michael D. Residue dynamics of acephate and methamidophos in urban dooryard citrus foliage, Pompano Beach, Florida—August–September 1978. 14(1):3–6
Fleming, W. James, and Cromartie, Eugene. DDE residues in young wood ducks (*Aix sponsa*) near a former DDT manufacturing plant. 14(4):115–118
Fleming, W. James, and O'Shea, Thomas J. Influence of a local source of DDT pollution on statewide DDT residues in waterfowl wings, northern Alabama, 1978–79. 14(3):86–89

G

Gay, Martha L., see O'Shea, Thomas J.
Grantham, Billy J., see Leard, Richard L.
Greichus, Yvonne A., and Dohman, Barbara A. Polychlorinated biphenyl contamination of areas surrounding two transformer salvage companies, Colman, South Dakota—September 1977. 14(1):26–30

H

Haseltine, Susan D., Mulhern, Bernard M., and Stafford, Charles. Organochlorine and heavy metal residues in black duck eggs from the Atlantic Flyway, 1978. 14(2):53–57
Hunter, Richard G., Carroll, John H., and Randolph, James C. Organochlorine residues in fish of Lake Texoma, October 1979. 14(3):102–107

J

Junk, Gregor A., see Spalding, Roy F.

K

Kim, Jai S., see Pastel, Michael
King, Kirke A., see White, Donald N.
Klaas, Erwin E., Ohlendorf, Harry M., and Cromartie, Eugene. Organochlorine residues and shell thicknesses in eggs of the clapper rail, common gallinule, purple gallinule, and limpkin (Class *Aves*), eastern and southern United States, 1972–74. 14(3):90–94
Kodric-Smith, M., Smit, Zdenko, and Olie, K. Organochlorine contaminants in human milk from Slavonia Province, Yugoslavia, 1978. 14(1):1–2
Krynitsky, Alexander J., see Clark, Donald R., Jr.

L

Lamont, Thair G., see O'Shea, Thomas J.
Leard, Richard L., Grantham, Billy J., and Pessoney, George F. Use of selected freshwater bivalves for monitoring organochlorine pesticide residues in major Mississippi stream systems, 1972–73. 14(2):47–52
Lindvall, Mark L., and Low, Jessop B. Effects of DDE, TDE, and PCBs on shell thickness of western grebe eggs, Bear River Migratory Bird Refuge, Utah—1973–74. 14(3):108–111
Locke, Louis M., see Ohlendorf, Harry M.
Loper, Bobby R., see Moore, Duane G.
Low, Jessop B., see Lindvall, Mark L.
Ludke, J. Larry, see Schmitt, Christopher J.
Lunsford, Charles A. Kepone distribution in the water column of the James River estuary—1976–78. 14(4):119–124

M

Maxey, Robert A., see Carey, Ann E.
Moore, Duane G., and Loper, Bobby R. DDT residues in forest floors and soils of western Oregon, September–November 1966. 14(3):77–85
Mulhern, Bernard M., see Haseltine, Susan D.

O

Ohlendorf, Harry M., see Klaas, Erwin E.
Ohlendorf, Harry M., Swineford, Douglas M., and Locke, Louis N. Organochlorine residues and mortality of herons. 14(4):125–135
Olie, K., see Kodric-Smit, M.
O'Shea, Thomas J., see Fleming, W. James
O'Shea, Thomas J., Brownell, Robert L., Jr., Clark, Donald R., Jr., Walker, William A., Gay, Martha L., and Lamont, Thair G. Organochlorine pollutants in small cetaceans from the Pacific and South Atlantic Oceans, November 1968–June 1976. 14(2):35–46

P

Pastel, Michael, Bush, Brian, and Kim, Jai S. Accumulation of polychlorinated biphenyls in American shad during their migration in the Hudson River, spring 1977. 14(1):11–22
Pessoney, George F., see Leard, Richard L.
Prouty, Richard M., see White, Donald H.

R

Randolph, James C., see Hunter, Richard G.
Richard, John J., see Spalding, Roy F.

S

Schmitt, Christopher J., Ludke, J. Larry, and Walsh, David F. Organochlorine residues in fish: National Pesticide Monitoring Program, 1970–74. 14(4):136–206
Smit, Zdenko, see Kodric-Smit, M.
Spalding, Roy F., Junk, Gregor A., and Richard, John J. Pesticides in ground water beneath irrigated farmland in Nebraska, August 1978. 14(2):70–73
Stafford, Charles, see Haseltine, Susan D.
Swineford, Douglas M., see Ohlendorf, Harry M.

T

Tai, Han, see Carey, Ann E.

W

Walker, William A., see O'Shea, Thomas J.
Walsh, David F., see Schmitt, Christopher J.
White, Donald H., King, Kirke A., and Prouty, Richard M. Significance of organochlorine and heavy metal residues in wintering shorebirds at Corpus Christi, Texas, 1976–77. 14(2):58–63
Wiersma, G. Bruce, see Carey, Ann E.

Y

Yang, Henry S. C., see Carey, Ann E.